HUYNH HOANG MINH
COMPANY

2026




PRODUCT CATALOGUE

# What we buy

Scrap copper, copper alloys and non-ferrous metals from factories, workshops and businesses nationwide.

**Huynh Hoang Minh Co., Ltd.**
Edition 2 · Nov 6, 2026

**huynhhoangminh.com**
Hotline 0964 717 686

ABOUT US

# About Huynh Hoang Minh

Huynh Hoang Minh Co., Ltd. buys, sorts and pre-processes scrap copper, offering factories, workshops and businesses across Vietnam an efficient way to handle their scrap metal.

Our facility and yard let Huynh Hoang Minh receive, sort and pre-process scrap copper in large volumes for factories and businesses nationwide.



01
### Scrap copper specialists
We buy, sort and pre-process red copper, brass, copper granules and electric cable.

02
### Large volumes
We take on large-volume purchases from factories, industrial parks and businesses.

03
### Buying, sorting, pre-processing
We receive, sort and pre-process scrap at our own yard, with close control at every stage.

04
### Nationwide
We work with factories, workshops and businesses across the country.

| | |
|---|---|
| COMPANY | Huynh Hoang Minh Co., Ltd. |
| ADDRESS | 213A/2, đường Nguyễn Văn Tiên, khu phố 11A, Phường Tân Triều, TP Đồng Nai |
| TAX CODE | 3603998055 |
| HOTLINE | 0964 717 686 |
| EMAIL | huynhhoangminh.corp@gmail.com |

CONTENTS

# Scrap groups we buy

Each grade comes with how to recognise it and what we do not accept, to help you sort your material before asking for a quote.



01 **Copper scrap** 04
COPPER · 8 GRADES
Red Copper Cable Grade 1 (annealed, zinc-plated, Type 1) · Copper Cable Type 2 (colored copper cable, bus cable) · Copper wire nodules · Đồng Hạt Lẫn (đồng bắm, đồng xay lẫn vàng...



02 **Copper alloy scrap** 07
COPPER ALLOYS · 7 GRADES
Copper alloy (soft yellow copper, leaf brass) C2680, 2600 · Copper wire (selected copper, good pieces) C3601, C3600 · Copper Scrap (nickel-plated or tin-plated coil) · Brass turnings · Copper...



03 **Electric cable scrap** 09
ELECTRIC CABLE · 4 GRADES
Single Core Power Cable · Multi-core electric cable · Low-copper electric cable · Rubber-sheathed electric cable




04 **Aluminium scrap** 11
ALUMINIUM · 4 GRADES
Pure aluminium · Commercially pure aluminium · 6063 aluminium extrusions · Mixed hard aluminium



05 **Stainless steel scrap** 13
STAINLESS STEEL · 1 GRADE
Stainless steel scrap



06 **Lead scrap** 13
LEAD · 1 GRADE
Lead scrap



07 **Zinc scrap** 14
ZINC · 1 GRADE
Zinc scrap



08 **Other scrap metals** 14
OTHER METALS · 1 GRADE
Other scrap metals



COPPER

# Copper scrap

Bare bright copper wire, pure copper, copper granules, rectangular copper wire and new copper clippings from factories and workshops.



## Red Copper Cable Grade 1 (annealed, zinc-plated, Type 1)

Copper recovered from high-voltage power cables that have been stripped, with strand diameter 1.3 mm or larger, bright clean surface, free of contaminants. High copper content and recovery rate, suitable as recycled material for many products.

| | |
|---|---|
| Scrap Type | Copper recovered from stripped high-voltage power cable |
| Diameter | ≥ 1.3 mm |
| Condition | Bright clean surface, free of contaminants |

**NOT ACCEPTED**

Do not mix copper containing tin or lead, especially for imported goods. · Does not include copper stripped from soft rubber cable; note small strands tangled in the bundle. · No core or joint · Do not mix hard copper wire; test...

Details: huynhhoangminh.com/dong-cap-do-loai-1



## Copper Cable Type 2 (colored copper cable, bus cable)

Copper Cable Type 2

Oxidized or heat-discolored cable copper, no longer bright but free of contaminants. Because of oxidation the recovery rate is lower and the purchase price is lower than bright cable copper grade A.

| | |
|---|---|
| Loại Phế Liệu | Là đồng cáp loại bị oxy hóa hoặc đổi màu do nhiệt, không còn sáng bóng, nhưng không được bám tạp... |

Details: huynhhoangminh.com/dong-cap-loai-2



## Copper wire nodules

Clove

It is clean copper granules cut and shredded from copper wire with a strand diameter of 1.3 mm or larger, free of impurities or other metals.

| | |
|---|---|
| Scrap type | Clean copper is cut and shredded from copper wire with a strand diameter of 1.3 mm or larger |
| Condition | Do not mix with tin-plated copper, brass copper, lead, solder tin, iron, stainless steel, aluminum or... |

**NOT ACCEPTED**

Iron, plastic, rubber or other impurities mixed in · Other metals or non-metallic materials mixed in

Details: huynhhoangminh.com/dong-dang-hat



## Đồng Hạt Lẫn (đồng bằm, đồng xay lẫn vàng, trắng)

It is a mixed copper alloy containing both red copper and plated copper. A high brass content reduces copper purity, so the purchase price is lower.

| | |
|---|---|
| Scrap Type | Mixed copper granules |
| Condition | Mixed granules of red copper and plated copper |

Details: huynhhoangminh.com/dong-hat-lan



## Motor Copper, Enamel-Coated Copper Wire (painted copper wire)

Motor Copper


Insulated copper wire, reclaimed from motors, transformers or cable manufacturing. Purchase price varies by strand size and quality. Core must be inspected to avoid mixing with aluminum; oil-contaminated or impurity-laden material will be deducted from the weight.

| | |
|---|---|
| Scrap Type | Insulated enamel-coated copper wire, reclaimed from motors, transformers or wire manufacturing |

**NOT ACCEPTED**

Purchase price varies by strand size and quality · Core must be inspected to avoid mixing with aluminum wire · Oil-stained or contaminated material will be deducted from the weight.

Details: huynhhoangminh.com/dong-mo-to



## Phosphor Bronze (phosphor copper)

Includes grades for rolling, drawing and casting. Typical composition is about 93% copper, 7% tin and a small amount of phosphorus. Some grades contain lead or up to 10% tin. - Material marks are clearly identified, such as C5191, C5210. - Does not include easily cut...

| | |
|---|---|
| Scrap Type | Grades used for rolling, drawing and casting |
| Condition | Approximately 93% copper, 7% tin and a small amount of phosphorus |

Details: huynhhoangminh.com/dong-thiec



## Clean Red Copper – Bars, Sheets and Flat Wire (also known as xô1)

Includes flat transformer copper wire (thickness from 1.3 mm), copper plate and newly cut scrap with edges from 1 cm and thickness from 0.3 mm, together with copper bus bar thickness 5–20 mm.

| | |
|---|---|
| Scrap Type | Clean red copper bars, sheets and flat wire |

**NOT ACCEPTED**

We accept pure copper grades like C1100, C1020, either separate or mixed. · The material must be clean, free of other materials, uncoated, and not contaminated with solder, paint, wrapping paper, or excessive oil. · New cut...

Details: huynhhoangminh.com/dong-do-sach



## Copper 2 (Box 2)

Có hàm lượng đồng từ 95% trở lên đã bị oxi hoá nặng Gồm đồng nguyên chất và hợp kim đồng, có lẫn hoặc bám nhiều thiếc hàn, lớp mạ, đồng thau, đồng thiếc phốt pho.

| | |
|---|---|
| Scrap Type | Pure copper and copper alloys |
| Condition | Copper content of 95% or higher has been heavily oxidized |

**NOT ACCEPTED**

- Do not attach iron, aluminum or stainless steel. · - No plastic or other flammable materials allowed.

Details: huynhhoangminh.com/dong-2



COPPER ALLOYS

# Copper alloy scrap

70/30, 65/35 and 60/40 brass, copper bar ends and brass turnings from stamping and machining shops.



## Copper alloy (soft yellow copper, leaf brass) C2680, 2600

Brass Label 70/30 · 65/35

Brass in thin sheet, label or stamping scrap form, about 70% Cu – 30% Zn or 65% Cu – 35% Zn.

| | |
|---|---|
| Alloy type | Brass |
| 70/30 brass | About 70% copper (Cu) and 30% zinc (Zn) |
| 65/35 brass | About 65% copper (Cu) and 35% zinc (Zn) |
| Form | Thin sheet, labels or stampings from brass sheet |
| Scrap type | New scrap |

Details: huynhhoangminh.com/hop-kim-dong-70-30-65-35



## Copper wire (selected copper, good pieces) C3601, C3600

Brass 60/40

60% Cu – 40% Zn brass in sheet, label or clipping and stamping form, generated in production.

| | |
|---|---|
| Composition | 60% copper (Cu) and 40% zinc (Zn) |
| Form | Sheet, labels or clippings and stampings |
| Scrap type | New scrap |
| Surface | Clean, uniform alloy composition |

NOT ACCEPTED

Iron, plastic, rubber or other impurities mixed in

Details: huynhhoangminh.com/dong-thau



## Copper Scrap (nickel-plated or tin-plated coil)

Mixed copper-brass and tin scrap, including plated, unplated, or with attached materials, mainly recovered from water taps, valves and water supply fittings. Impurities such as iron, stainless steel, plastic, etc. must not exceed 0.5%.

| | |
|---|---|
| Material | Copper brass and mixed tin scrap |
| Form | Water taps, valves and water supply accessories |
| Surface | Impurities such as iron, stainless steel, plastic... must not exceed 0.5%. |
| Scrap type | New scrap |

**NOT ACCEPTED**

Iron, plastic, rubber or other impurities mixed in

Details: huynhhoangminh.com/phe-lieu-dau-thanh-dong



## Brass turnings

Brass turnings, chips and curled swarf from turning, milling and drilling – the cleaner, drier and less oily, the higher the value.

| | |
|---|---|
| Form | Shavings, chips, twisted copper scrap from turning, milling, drilling |
| Composition | Alloy of copper (Cu) and zinc (Zn) |
| Origin | Turning, milling, drilling and other machining of brass |
| Requirements | Dry, with as little cutting oil and coolant as possible |

**NOT ACCEPTED**

Iron, aluminium, stainless steel or other metals mixed in · Heavy residue of cutting oil or coolant

Details: huynhhoangminh.com/mat-tien-dong-thau



## Copper Wire – Hair-Braid Style.

Scrap copper hair wire – thin filament CNC cutting wire that easily tangles into bundles. Must be sorted separately from brass-plated steel wire. Can be cut into smaller pieces for easier storage and transport. Contact us for a quote based on actual quality.

| | |
|---|---|
| Alloy type | Thau Copper Wire – Strand |
| Type | Thin strands, easily tangled into a bunch |

Details: huynhhoangminh.com/day-dong-thau-dang-soi-toc



## Copper Water Tank

Radiator coolant tank scrap with a brass frame and brass container, the radiator fins are made of red copper. The type made entirely of brass is called a brass coolant tank.

| | |
|---|---|
| Loại Hợp Kim | Đồng Thau (Brass) |
| Dạng | Két nước tản nhiệt |

Details: huynhhoangminh.com/ket-nuoc-dong-thau



## Tin-plated and Nickel-plated Copper Tubes

Scrap copper alloy generated from component stamping, coated with tin (Sn), nickel (Ni) or a combined Ni+Sn layer. It must be sorted by coating type to assess quality and purchase price.

| | |
|---|---|
| Alloy Type | Brass |
| Type | From the stamping process, there is a tin (Sn) plating, nickel (Ni) plating, or combined Ni + Sn... |

Details: huynhhoangminh.com/dong-thau-dap-ma-thiec-ma-niken



ELECTRIC CABLE

# Electric cable scrap

Single-core, multi-core, rubber-insulated and low-copper cable from electrical systems.



## Single Core Power Cable

High-voltage power cable, single core, with high copper content, mainly used in factories and industrial facilities

| | |
|---|---|
| Structure | Single core |
| Wrong Direction | VND |

NOT ACCEPTED

The purchase price depends on the actual copper content in the cable.

Details: huynhhoangminh.com/cap-dien-cao-ap



## Multi-core electric cable

High-voltage cable types are widely used in industrial power systems, factories, construction projects, power stations and electricity transmission and distribution networks.

| | |
|---|---|
| Construction | Two or more copper or aluminium cores, individually insulated, in a common outer sheath |
| Cable types | Control cables, power cables, ... |

**NOT ACCEPTED**

The purchase price depends on the actual copper content in the cable.

Details: huynhhoangminh.com/cap-dien-nhieu-loi



## Low-copper electric cable

Cable with many fine strands and a thick sheath, yielding less copper than single-core cable – processed by stripping machines or granulators.

| | |
|---|---|
| Conductor | Copper (sometimes aluminium, depending on the cable) |
| Construction | Many fine copper strands or several cores |
| Sheath | Relatively thick insulation and outer sheath |
| Copper ratio | Lower than single-core cable and bare copper cable |

**NOT ACCEPTED**

Iron, steel or other impurities mixed in

Details: huynhhoangminh.com/cap-dien-co-ham-luong-dong-thap



## Rubber-sheathed electric cable

Flexible copper-core cable with a thick rubber sheath, from welding machines, cranes, generators and site equipment.

| | |
|---|---|
| Conductor | One or more flexible stranded copper cores |
| Sheath | Rubber or a durable synthetic material |
| Properties | Flexible; resistant to abrasion, oil and weather |
| Color | Usually black, with a thick, flexible sheath |

**NOT ACCEPTED**

Iron, hard plastic or other impurities mixed in

Details: huynhhoangminh.com/cap-dien-boc-cao-su



ALUMINIUM

# Aluminium scrap

Pure aluminium, commercial aluminium, 6063 extrusions and mixed hard aluminium from factories and construction sites.



## Pure aluminium

High-purity aluminium in sheet, bar, wire or cutting scrap form – unpainted, unplated, with a clean surface.

| | |
|---|---|
| Material | Pure or high-purity aluminium |
| Form | Sheet, bar, wire or cutting scrap |
| Surface | Clean, little oxidation |
| Coating | No paint, insulation coating or plating |

**NOT ACCEPTED**

Iron, copper, plastic, rubber or other impurities mixed in · Paint, insulation coating or plating

Details: huynhhoangminh.com/nhom-nguyen-chat



## Commercially pure aluminium

Commercial-grade aluminium of about 99% Al or higher, from sheet and coil mills and aluminium processors.

| | |
|---|---|
| Purity | About 99% Al or higher, depending on the standard |
| Properties | Good corrosion resistance; easy to cut, stamp, bend and machine |
| Coating | No paint, insulation coating or plating |

**NOT ACCEPTED**

Iron, copper, plastic, rubber or other impurities mixed in

Details: huynhhoangminh.com/nhom-nguyen-chat-thuong-mai



## 6063 aluminium extrusions

Extrusion 6063

Aluminium profiles in alloy 6063 (Al-Mg-Si): mill finish, powder-coated or anodized.

| | |
|---|---|
| Alloy | Aluminium 6063 (Al-Mg-Si) |
| Form | Extruded profiles |
| Surface | Mill finish, powder-coated or anodized |
| Properties | Strong, lightweight, highly corrosion-resistant |

**NOT ACCEPTED**

Iron, copper, plastic, rubber or other impurities mixed in

Details: huynhhoangminh.com/nhom-dun-hop-kim-6063



## Mixed hard aluminium

Cast aluminium and hard aluminium alloys from mechanical parts, machine housings, engine blocks and castings.

| | |
|---|---|
| Type | Cast aluminium or hard aluminium alloy |
| Form | Mechanical parts, machine housings, engine blocks, castings |
| Condition | May still carry paint, grease or surface oxidation |
| Properties | Stronger and harder than pure aluminium |

**NOT ACCEPTED**

Attached iron, steel or copper · Plastic, rubber and other non-aluminium materials

Details: huynhhoangminh.com/nhom-cung-hon-hop



STAINLESS STEEL

# Stainless steel scrap

Stainless steel scrap in sheets, pipes, bars, turnings and offcuts from factories and machine shops.



## Stainless steel scrap


All kinds of stainless steel scrap: sheet, pipe, bar, turnings and cuttings from factories and workshops.

| | |
|---|---|
| Scrap type | All grades of stainless steel |
| Form | Sheet, pipe, bar, turnings, cuttings |
| Requirements | Sorted separately, with no ordinary steel mixed in |

**NOT ACCEPTED**

Ordinary steel, plastic or other impurities mixed in

Details: huynhhoangminh.com/phe-lieu-inox



LEAD

# Lead scrap

Lead scrap in sheets, pipes, ingots and pieces from factories and construction sites.



## Lead scrap

Lead scrap in sheet, pipe, ingot and piece form – contact us for our buying terms and a quote.

| | |
|---|---|
| Scrap type | Lead and lead alloys |
| Form | Sheet, pipe, ingots, pieces |
| Requirements | Sorted separately, with no other metals mixed in |

**NOT ACCEPTED**

Other metals, plastic or impurities mixed in

Details: huynhhoangminh.com/phe-lieu-chi

ZINC

# Zinc scrap

Zinc scrap in ingots, sheets and pieces from factories and workshops.




## Zinc scrap


Zinc scrap in ingot, sheet and piece form from factories and production workshops.

| | |
|---|---|
| Scrap type | Zinc and zinc alloys |
| Form | Ingots, sheet, pieces |
| Requirements | Sorted separately, with no other metals mixed in |

**NOT ACCEPTED**

Other metals, plastic or impurities mixed in

Details: huynhhoangminh.com/phe-lieu-kem



OTHER METALS

# Other scrap metals

Metals and alloys not listed in our catalogue – send us a description for advice and a quote.



## Other scrap metals

Metals and alloys not listed here – send us a description and photos for advice and a quote.

| | |
|---|---|
| Scrap type | Metals and alloys not listed here |
| Quote | Based on the description, photos and actual quantity |

Details: huynhhoangminh.com/phe-lieu-kim-loai-khac

HOW WE BUY

# Sell your scrap in 3 steps

From your first message to payment, every step is agreed with you in advance.



1

## Send photos and details

Take photos of the material and send them via Zalo or our quote form, with its type, estimated weight and location.

2

## HHM inspects and quotes

Huynh Hoang Minh reviews the material, inspects it on site when needed and quotes by type, quality and market price.

3

## Weighing and payment

Once the price is agreed, the material is weighed to confirm the quantity and paid for as agreed.

### Send photos of your material on Zalo for a quick quote

ZALO
0964 717 686

HOTLINE
0964 717 686

HUYNH HOANG MINH
COMPANY

# Get a quote

Send photos, the type of scrap, an estimated weight and the location, and Huynh Hoang Minh will quote by grade, quality and market price.

HOTLINE

**0964 717 686**

ZALO

0964 717 686

EMAIL

huynhhoangminh.corp@gmail.com

ADDRESS

213A/2, đường Nguyễn Văn Tiên, khu phố 11A,
Phường Tân Triều, TP Đồng Nai

WEBSITE

huynhhoangminh.com

Scan to message us on Zalo

Buying prices follow the market and the quality of the material; contact us for an up-to-date quote.
Photos tagged "Illustrative photo" are for reference only.

Edition 2 · Nov 6, 2026